

# PoE

Model: TA0610



TA0610 is a precision digital temperature sensor with a high-resolution LCD display and a red LED indicator. It features a PoE power supply and is designed for accurate temperature measurement in various environments.

The PoE TA0610 is a precision digital temperature sensor with a high-resolution LCD display and a red LED indicator.

Features:

- Accuracy:  $\pm 0.4\text{ }^{\circ}\text{C}$
- High-resolution LCD display and red LED indicator
- 5-24 V DC PoE power supply
- Precision sensor
- Web interface: IPv4/IPv6, Modbus TCP, COMET Cloud, HTTPS, SNMPv3, TLS
- Precision digital temperature sensor

Table:

Model	
Operating Temperature	-30 $\text{ }^{\circ}\text{C}$ +60 $\text{ }^{\circ}\text{C}$
Accuracy	$\pm 0.4\text{ }^{\circ}\text{C}$
Resolution	0.1 $\text{ }^{\circ}\text{C}$
Display	
Operating Temperature	-30 $\text{ }^{\circ}\text{C}$ +60 $\text{ }^{\circ}\text{C}$
Display	High-resolution LCD
Display Units	$^{\circ}\text{C}$ ( $^{\circ}\text{C}$ ), $^{\circ}\text{F}$ ( $^{\circ}\text{F}$ )
Power	PoE (IEEE 802.3af) 5-24 V DC
Display	High-resolution LCD
IP	IPv4, IPv6
Protocols	HTTP(s), Web server (WWW), HTTP GET (JSON, XML), Modbus TCP, SNMPv1, SNMPv2c, SNMPv3
Alerts	Email (SMTP), Syslog
Update Interval	1 s
IP Address	IP30
Dimensions	116 x 85 x 42 mm; Sensor 55 x 18 mm
Weight	220 g
Warranty	3 years